

# 測試報告 Test Report

報告編號(No.): HTF21C00841

報告日期(DATE): 2022/01/11

頁數(PAGE): 1 of 8

瑞康國際企業股份有限公司 ( RAKEN INTERNATIONAL CO., LTD. )

台北市士林區社中街434號 ( NO. 434, SHEZHONG ST., SHILIN DIST., TAIPEI CITY 111, TAIWAN (R.O.C.) )

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as) :

送樣廠商(Sample Submitted By) : 瑞康國際企業股份有限公司 ( RAKEN INTERNATIONAL CO., LTD. )  
樣品名稱(Sample Description) : UCOM 德國黑魔法28CM平底鍋不含蓋  
樣品型號(Style/Item No.) : 728

=====  
收件日(Sample Receiving Date) : 2021/12/30  
測試期間(Testing Period) : 2021/12/30 to 2022/01/11

測試結果 (Test Results) : 請見下一頁。(Please refer to next page(s).)

  
Singh Hsiao / Asst. Manager  
Signed for and on behalf of  
SGS TAIWAN LTD.  
Chemical Laboratory - Taipei



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# 測試報告

## Test Report

報告編號(No.): HTF21C00841

報告日期(DATE): 2022/01/11

頁數(PAGE): 2 of 8

瑞康國際企業股份有限公司 ( RAKEN INTERNATIONAL CO., LTD. )

台北市士林區社中街434號 ( NO. 434, SHEZHONG ST., SHILIN DIST., TAIPEI CITY 111, TAIWAN (R.O.C.) )

### 測試部位敘述(Test Part Description)

No.1 : 平底鍋 (PAN)

### 測試結果(Test Results)

測試項目 (Test Item(s))	測試方法 (Method)	單位 (Unit)	RL	結果 (Result)
				No.1
<b>個別PFAS試驗 62項 / Individual PFAS Test (62 substances)</b>				
2H,2H,3H,3H-全氟十一酸 / 2H,2H,3H,3H-Perfluoroundecanoic acid (4HPFUnA) ( CAS No.34598-33-9 )	參考CEN/TS 15968 (2010), 以液相層析串聯式質譜儀(LC/MS/MS)檢測。 / With reference to CEN/TS 15968 (2010). Analysis was performed by LC/MS/MS.	µg/m <sup>2</sup>	0.5	n.d.
全氟庚烷亞磺酸鈉鹽 / Perfluoroheptanesulfinic acid, Na-salt (PFHpS-Na) ( CAS No.68555-66-8 )		µg/m <sup>2</sup>	1▲	n.d.
全氟辛烷磺酸銨鹽 / Perfluorooctanesulfonic acid, Ammonium-salt (PFOS-NH <sub>4</sub> ) ( CAS No.29081-56-9 )		µg/m <sup>2</sup>	1▲	n.d.
全氟癸酸鈉鹽 / Perfluorodecanoic acid, Na-salt (PFDA-Na) ( CAS No.3830-45-3 )		µg/m <sup>2</sup>	1▲	n.d.
全氟癸烷磺酸鉀鹽 / Perfluorodecanesulfonic acid, K-salt (PFDS-K) ( CAS No.2806-16-8 )		µg/m <sup>2</sup>	0.5▲	n.d.
2-(N-乙基全氟辛烷磺醯胺)乙醇 / 2-(N-ethylperfluoro-1-octanesulfonamido)-ethanol (N-Et-FOSE alcohol) ( CAS No.1691-99-2 )		µg/m <sup>2</sup>	0.5	n.d.
全氟戊酸 / Perfluoropentanoic acid (PFPA) ( CAS No.2706-90-3 )		µg/m <sup>2</sup>	0.5	n.d.
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS) ( CAS No.1763-23-1 )		µg/m <sup>2</sup>	0.5	n.d.
全氟己酸 / Perfluorohexanoic acid (PFHxA) ( CAS No.307-24-4 )		µg/m <sup>2</sup>	0.5	n.d.
全氟己烷磺酸鉀鹽 / Perfluorohexanesulfonic acid, K-salt (PFHxS-K) ( CAS No.3871-99-6 )		µg/m <sup>2</sup>	0.5▲	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# 測試報告 Test Report

報告編號(No.): HTF21C00841

報告日期(DATE): 2022/01/11

頁數(PAGE): 3 of 8

瑞康國際企業股份有限公司 ( RAKEN INTERNATIONAL CO., LTD. )

台北市士林區社中街434號 ( NO. 434, SHEZHONG ST., SHILIN DIST., TAIPEI CITY 111, TAIWAN (R.O.C.) )

測試項目 (Test Item(s))	測試方法 (Method)	單位 (Unit)	RL	結果 (Result)
				No.1
N-甲基全氟辛烷磺醯胺 / N-methylperfluorooctanesulfonamide (N-Me-FOSA) ( CAS No.31506-32-8 )	參考CEN/TS 15968 (2010), 以液相層析串聯式質譜儀 (LC/MS/MS) 檢測。 / With reference to CEN/TS 15968 (2010). Analysis was performed by LC/MS/MS.	µg/m <sup>2</sup>	0.5	n.d.
全氟辛酸 / Perfluorooctanoic acid (PFOA) ( CAS No.335-67-1 )		µg/m <sup>2</sup>	0.5	n.d.
全氟辛烷磺醯胺 / Perfluorooctane sulfonamide (PFOSA) ( CAS No.754-91-6 )		µg/m <sup>2</sup>	0.5	n.d.
全氟辛基磺酸二癸基二甲基銨 / N-Decyl-N,N-dimethyl-1-decanaminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (PFOS-DDA) ( CAS No.251099-16-8 )		µg/m <sup>2</sup>	0.5▲	n.d.
2H,2H-全氟癸酸 / 2H,2H-Perfluorodecanoic acid (H2PFDA) ( CAS No.882489-14-7 )		µg/m <sup>2</sup>	0.5	n.d.
N-乙基全氟辛烷磺醯胺 / N-ethylperfluorooctanesulfonamide (N-Et-FOSA) ( CAS No.4151-50-2 )		µg/m <sup>2</sup>	0.5	n.d.
7H-十二氟庚酸 / 7H-Dodecafluoroheptanoic acid (HPFHpA) ( CAS No.1546-95-8 )		µg/m <sup>2</sup>	0.5	n.d.
全氟-3,7-二甲基辛酸 / Perfluoro-3,7-dimethyloctanoic Acid (PF-3,7-DMOA) ( CAS No.172155-07-6 )		µg/m <sup>2</sup>	0.5	n.d.
全氟辛烷磺酸鋰鹽 / Perfluorooctanesulfonic acid, Li-salt (PFOS-Li) ( CAS No.29457-72-5 )		µg/m <sup>2</sup>	1▲	n.d.
全氟辛酸銀鹽 / Perfluorooctanoic acid, Ag-salt (PFOA-Ag) ( CAS No.335-93-3 )		µg/m <sup>2</sup>	1▲	n.d.
全氟庚烷磺酸 / Perfluoroheptane sulfonate (PFHpS) ( CAS No.375-92-8 )		µg/m <sup>2</sup>	0.5	n.d.
全氟十四烷酸 / Perfluorotetradecanoic Acid (PFTeA) ( CAS No.376-06-7 )		µg/m <sup>2</sup>	0.5	n.d.
全氟丁烷磺酸鉀鹽 / Perfluorobutanesulfonic acid, K-salt (PFBS-K) ( CAS No.29420-49-3 )		µg/m <sup>2</sup>	1▲	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# 測試報告 Test Report

報告編號(No.): HTF21C00841

報告日期(DATE): 2022/01/11

頁數(PAGE): 4 of 8

瑞康國際企業股份有限公司 ( RAKEN INTERNATIONAL CO., LTD. )

台北市士林區社中街434號 ( NO. 434, SHEZHONG ST., SHILIN DIST., TAIPEI CITY 111, TAIWAN (R.O.C.) )

測試項目 (Test Item(s))	測試方法 (Method)	單位 (Unit)	RL	結果 (Result)
				No.1
全氟辛烷磺酸鉀鹽 / Perfluorooctanesulfonic acid, K-salt (PFOS-K) ( CAS No.2795-39-3 )	參考CEN/TS 15968 (2010), 以液相層析串聯式質譜儀 (LC/MS/MS) 檢測。 / With reference to CEN/TS 15968 (2010). Analysis was performed by LC/MS/MS.	µg/m <sup>2</sup>	1▲	n.d.
全氟辛烷磺酸乙二醇胺 / Diethanolamine perfluorooctanesulfonate (PFOS-NH(OH) <sub>2</sub> ) ( CAS No.70225-14-8 )		µg/m <sup>2</sup>	1▲	n.d.
全氟辛酸鈉鹽 / Perfluorooctanoic acid, Na-salt (PFOA-Na) ( CAS No.335-95-5 )		µg/m <sup>2</sup>	1▲	n.d.
全氟十二烷酸 / Perfluorododecanoic Acid (PFDoA) ( CAS No.307-55-1 )		µg/m <sup>2</sup>	0.5	n.d.
全氟庚酸 / Perfluoroheptanoic acid (PFHpA) ( CAS No.375-85-9 )		µg/m <sup>2</sup>	0.5	n.d.
全氟癸烷磺酸鈉鹽 / Perfluorodecanesulfonic acid, Na-salt (PFDS-Na) ( CAS No.2806-15-7 )		µg/m <sup>2</sup>	1▲	n.d.
全氟辛烷磺酸四乙基銨 / Tetraethylammonium perfluorooctanesulfonate (PFOS-N(C <sub>2</sub> H <sub>5</sub> ) <sub>4</sub> ) ( CAS No.56773-42-3 )		µg/m <sup>2</sup>	1▲	n.d.
全氟十三烷酸 / Perfluorotridecanoic Acid (PFTrA) ( CAS No.72629-94-8 )		µg/m <sup>2</sup>	0.5	n.d.
全氟癸酸銨鹽 / Perfluorodecanoic acid, Ammonium-salt (PFDA-NH <sub>4</sub> ) ( CAS No.3108-42-7 )		µg/m <sup>2</sup>	1▲	n.d.
全氟辛烷磺酰氟 / Perfluorooctane sulfonyl fluoride (POSF) ( CAS No.307-35-7 )		µg/m <sup>2</sup>	1▲	n.d.
全氟辛酸鉀鹽 / Perfluorooctanoic acid, K-salt (PFOA-K) ( CAS No.2395-00-8 )		µg/m <sup>2</sup>	1▲	n.d.
1H,1H,2H,2H-全氟辛烷磺酸 / 1H,1H,2H,2H-Perfluorooctanesulfonic acid (H <sub>4</sub> PFOS 6:2) ( CAS No.27619-97-2 )		µg/m <sup>2</sup>	0.5	n.d.
全氟丁烷磺酸 / Perfluorobutane sulfonate (PFBS) ( CAS No.375-73-5 )		µg/m <sup>2</sup>	0.5	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# 測試報告 Test Report

報告編號(No.): HTF21C00841

報告日期(DATE): 2022/01/11

頁數(PAGE): 5 of 8

瑞康國際企業股份有限公司 ( RAKEN INTERNATIONAL CO., LTD. )

台北市士林區社中街434號 ( NO. 434, SHEZHONG ST., SHILIN DIST., TAIPEI CITY 111, TAIWAN (R.O.C.) )

測試項目 (Test Item(s))	測試方法 (Method)	單位 (Unit)	RL	結果 (Result)
				No.1
全氟癸烷磺酸銨鹽 / Perfluorodecanesulfonic acid, Ammonium-salt (PFDS-NH <sub>4</sub> ) ( CAS No.67906-42-7 )	參考CEN/TS 15968 (2010), 以液相層析串聯式質譜儀(LC/MS/MS)檢測。 / With reference to CEN/TS 15968 (2010). Analysis was performed by LC/MS/MS.	µg/m <sup>2</sup>	0.5▲	n.d.
全氟丁酸 / Perfluorobutanoic acid (PFBA) ( CAS No.375-22-4 )		µg/m <sup>2</sup>	0.5	n.d.
2-(N-甲基全氟辛烷磺醯胺)乙醇 / 2-(N-methylperfluoro-1-octanesulfonamido)-ethanol (N-Me-FOSE alcohol) ( CAS No.24448-09-7 )		µg/m <sup>2</sup>	0.5	n.d.
全氟癸酸 / Perfluorodecanoic acid (PFDA) ( CAS No.335-76-2 )		µg/m <sup>2</sup>	0.5	n.d.
全氟己烷磺酸鈉鹽 / Perfluorohexanesulfonic acid, Na-salt (PFHxS-Na) ( CAS No.82382-12-5 )		µg/m <sup>2</sup>	1▲	n.d.
全氟辛醯氟 / Perfluorooctanoyl fluoride (PFOA-F) ( CAS No.335-66-0 )		µg/m <sup>2</sup>	1▲	n.d.
全氟辛酸銨 / Ammonium pentadecafluorooctanoate (APFO) ( CAS No.3825-26-1 )		µg/m <sup>2</sup>	0.5▲	n.d.
全氟己烷磺酸 / Perfluorohexane sulfonate (PFHxS) ( CAS No.355-46-4 )		µg/m <sup>2</sup>	0.5	n.d.
全氟十一烷酸 / Perfluoroundecanoic Acid (PFUnA) ( CAS No.2058-94-8 )		µg/m <sup>2</sup>	0.5	n.d.
全氟壬酸 / Perfluorononanoic acid (PFNA) ( CAS No.375-95-1 )		µg/m <sup>2</sup>	0.5	n.d.
1H,1H,2H,2H-全氟癸烷磺酸 / 1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS) ( CAS No.39108-34-4 )		µg/m <sup>2</sup>	0.5	n.d.
全氟癸烷磺酸 / Perfluorodecane sulfonate (PFDS) ( CAS No.335-77-3 / 126105-34-8 )		µg/m <sup>2</sup>	1	n.d.
全氟壬酸鈉鹽 / Perfluorononanoic acid, Na-salt (PFNA-Na) ( CAS No.21049-30-8 )		µg/m <sup>2</sup>	1▲	n.d.
全氟壬酸銨鹽 / Ammonium perfluorononanoate (APFN) ( CAS No.4149-60-4 )		µg/m <sup>2</sup>	1▲	n.d.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# 測試報告 Test Report

報告編號(No.): HTF21C00841

報告日期(DATE): 2022/01/11

頁數(PAGE): 6 of 8

瑞康國際企業股份有限公司 ( RAKEN INTERNATIONAL CO., LTD. )

台北市士林區社中街434號 ( NO. 434, SHEZHONG ST., SHILIN DIST., TAIPEI CITY 111, TAIWAN (R.O.C.) )

測試項目 (Test Item(s))	測試方法 (Method)	單位 (Unit)	RL	結果 (Result)
				No.1
1H,1H,2H,2H-全氟-1-癸醇 / 1H,1H,2H,2H-Perfluoro-1-decanol (8:2 FTOH) ( CAS No.678-39-7 )	參考CEN/TS 15968 (2010), 以氣相層析質譜儀(GC/MS)檢測。 / With reference to CEN/TS 15968 (2010). Analysis was performed by GC/MS.	µg/m <sup>2</sup>	0.5	n.d.
1H,1H,2H,2H-全氟癸基丙烯酸酯 / 1H,1H,2H,2H-Perfluorodecyl acrylate (8:2 FTA) ( CAS No.27905-45-9 )		µg/m <sup>2</sup>	0.5	n.d.
全氟辛酸甲酯 / Methyl perfluorooctanoate (Me-PFOA) ( CAS No.376-27-2 )		µg/m <sup>2</sup>	0.5	n.d.
1H,1H,2H,2H-全氟癸基甲基丙烯酸酯 / 1H,1H,2H,2H-Perfluorodecyl methacrylate (8:2 FTMA) ( CAS No.1996-88-9 )		µg/m <sup>2</sup>	0.5	n.d.
全氟辛酸乙酯 / Ethyl perfluorooctanoate (Et-PFOA) ( CAS No.3108-24-5 )		µg/m <sup>2</sup>	0.5	n.d.
全氟辛基碘烷 / Perfluoro-1-iodooctane (PFOI) ( CAS No.507-63-1 )		µg/m <sup>2</sup>	0.5	n.d.
1H,1H,2H,2H-全氟辛基丙烯酸酯 / 1H,1H,2H,2H-Perfluorooctylacrylate (6:2 FTA) ( CAS No.17527-29-6 )		µg/m <sup>2</sup>	0.5	n.d.
1H,1H,2H,2H-全氟十二烷基丙烯酸酯 / 1H,1H,2H,2H-Perfluorododecylacrylate (10:2 FTA) ( CAS No.17741-60-5 )		µg/m <sup>2</sup>	0.5	n.d.
1H,1H,2H,2H-全氟-1-己醇 / 1H,1H,2H,2H-Perfluoro-1-hexanol (4:2 FTOH) ( CAS No.2043-47-2 )		µg/m <sup>2</sup>	0.5	n.d.
1H,1H,2H,2H-全氟-1-辛醇 / 1H,1H,2H,2H-Perfluoro-1-octanol (6:2 FTOH) ( CAS No.647-42-7 )		µg/m <sup>2</sup>	0.5	n.d.
1H,1H,2H,2H-全氟-1-十二醇 / 1H,1H,2H,2H-Perfluoro-1-dodecanol (10:2 FTOH) ( CAS No.865-86-1 )	µg/m <sup>2</sup>	0.5	n.d.	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

# 測試報告 Test Report

報告編號(No.): HTF21C00841

報告日期(DATE): 2022/01/11

頁數(PAGE): 7 of 8

瑞康國際企業股份有限公司 ( RAKEN INTERNATIONAL CO., LTD. )

台北市士林區社中街434號 ( NO. 434, SHEZHONG ST., SHILIN DIST., TAIPEI CITY 111, TAIWAN (R.O.C.) )

## 備註(Note) :

1. RL = Reporting Limit (報告極限值)
2. n.d. = Not Detected (未檢出) = Less than (小於) RL
3. 本報告不得分離或擷錄使用。(The report is invalid if it is partly reproduced or used.)
4. (▲): 測試結果是以其相關化合物之濃度計算最嚴苛情境下之含量。(The test result was calculated by the concentration of its related compound and to the worst-case scenario.)
5. 此項目轉包予台灣檢驗科技股份有限公司化學實驗室-高雄進行測試。(The testing item(s) was/were subcontracted to SGS Taiwan Ltd. Chemical Laboratory – Kaohsiung.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

## 測試報告 Test Report

報告編號(No.): HTF21C00841

報告日期(DATE): 2022/01/11

頁數(PAGE): 8 of 8

瑞康國際企業股份有限公司 ( RAKEN INTERNATIONAL CO., LTD. )

台北市士林區社中街434號 ( NO. 434, SHEZHONG ST., SHILIN DIST., TAIPEI CITY 111, TAIWAN (R.O.C.) )

\* 照片中如有箭頭標示，則表示為實際檢測之樣品/部位。\*  
(The tested sample / part is marked by an arrow if it's shown on the photo.)

### HTF21C00841



\*\* 報告結尾 (End of Report) \*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.